



IFW

1724 Patent
Attorney Docket No. 82318
Customer No. 23685

TRANSMITTAL LETTER

Inventor: Heinz W. Stadelmann

Serial No: 10/511,962

Filed: October 19, 2004

For: STERILISATION SYSTEM, ESPECIALLY FOR STERILISING DRINKING WATER AND INDUSTRIAL WATER AND THE PRODUCTION AND USE OF SAID STERILISATION SYSTEM

Examiner: Peter A. Hruskoci

Group Art Unit: 1724

Confirmation No: 8438

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:


Transmitted herewith for the above-identified patent application are the following:

A Response to Restriction Requirement
A return postcard

The item(s) checked below are appropriate:


- a
1. ☐ Applicant(s) hereby petition(s) for a () month extension of time to respond to
 2. ☒ Please charge any fees or costs not accounted for to Deposit Account No. 11-1755.
 3. ☒ Applicant is a small entity.

Date: November 20, 2006


Edward M. Kriegsman
Reg. No. 33,529

KRIEGSMAN & KRIEGSMAN
30 Turnpike Road, Suite 9
Southborough, MA 01772
(508) 481-3500

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on November 20, 2006


Edward M. Kriegsman



PATENT
Attorney Docket No. 82318
Customer Number 23685

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	
)	
HEINZ W. STADELMANN)	
)	
Serial No.: 10/511,962)	Group Art Unit: 1724
)	
Filed: October 19, 2004)	Examiner: Peter A. Hruskoci
)	
For: STERILISATION SYSTEM,)	Confirmation Number: 8438
ESPECIALLY FOR STERILISING)	
DRINKING WATER AND)	
INDUSTRIAL WATER AND THE)	
PRODUCTION AND USE OF)	
SAID STERILISATION SYSTEM)	

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

RESPONSE TO RESTRICTION REQUIREMENT

In response to the Office Action dated October 23, 2006, Applicant respectfully requests reconsideration of the above-identified application in view of the remarks below.

There are no **Amendments to the Specification** in this paper.

There are no **Amendments to the Claims** in this paper; nevertheless, the claims are listed in the **Listing of Claims** that begins on page 2 of this paper.

There are no **Amendments to the Drawings** in this paper.

Remarks begin on page 7 of this paper.